

CHANNEL HOOKUP

Center for the Arts at Wesley Chapel
 Wesley Chapel, FL
 Keith Eisenstadt

CFAWC Rep Plot 6-26-2019

Keith Eisenstadt
 keith.eisenstadt@gmail.com
 813-494-4179

<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(1)	10	-/-	FOH	1	Apron Front	Strand SL 26° 600w	NC
(2)	9	-/-	FOH	2	USR Front	Source-4 26° 575w	NC
(3)	8	-/-	FOH	3	FOH Cool	Source-4 26° 575w	R60
(4)	7	-/-	FOH	4	FOH Warm	Source-4 26° 575w	R09
(5)	6	-/-	FOH	5	FOH Cool	Source-4 26° 575w	R60
(6)	5	-/-	FOH	6	FOH Warm	Source-4 26° 575w	R09
(7)	4	-/-	FOH	7	Steps Down	Strand Fresnelite 8" 500w	-
(8)	3	-/-	FOH	8	FOH Cool	Source-4 26° 575w	R60
(9)	2	-/-	FOH	9	FOH Warm	Source-4 26° 575w	R09
(10)	1	-/-	FOH	10	FOH Cool	Source-4 26° 575w	R60
(11)	20	-/-	FOH	11	FOH Warm	Source-4 26° 575w	R09
(12)	19	-/-	FOH	12	USL Front	Strand SL 26° 600w	NC
(13)	18	-/-	FOH	13	FOH Cool	Source-4 26° 575w	R60
(14)	17	-/-	FOH	14	FOH Warm	Source-4 26° 575w	R09
(15)	16	-/-	FOH	15	USC Front	Strand SL 15-32° 600w	NC
(16)	15	-/-	FOH	16	FOH Cool	Source-4 26° 575w	R60
(17)	14	-/-	FOH	17	FOH Warm	Source-4 26° 575w	R09
(18)	13	-/-	FOH	18	USR Front	Strand SL 26° 600w	NC
(19)	12	-/-	FOH	19	FOH Cool	Source-4 26° 575w	R60
(20)	11	-/-	FOH	20	FOH Warm	Source-4 26° 575w	R09
(21)	30	-/-	FOH	21	FOH Cool	Source-4 26° 575w	R60
(22)	29	-/-	FOH	22	FOH Warm	Source-4 26° 575w	R09
(23)	27	-/-	FOH	23	Steps Down	Strand Fresnelite 8" 500w	-
(24)	25	-/-	FOH	24	FOH Cool	Source-4 26° 575w	R60
(25)	26	-/-	FOH	25	FOH Warm	Source-4 26° 575w	R09
(26)	24	-/-	FOH	26	FOH Cool	Source-4 36° 575w	R60
(27)	23	-/-	FOH	27	FOH Warm	Source-4 26° 575w	R09
(28)	22	-/-	FOH	28	USL Front	Source-4 26° 575w	NC
(29)	21	-/-	FOH	29	Apron Front	Strand SL 26° 600w	NC
(31)	31	-/-	HR Side Box	7	DS Cool Front	Strand SL 19° 600w	R60

<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(32)	32	-/-	HR Side Box	6	DS Warm Front	Strand SL 19° 600w	R09
(33)	33	-/-	HR Side Box	5	DS Front	Strand SL 19° 600w	NC
(34)	34	-/-	HR Side Box	4	US Cool Front	Strand SL 36° 600w	R60
(35)	35	-/-	HR Side Box	3	US Warm Front	Strand SL 26° 600w	R09
(36)	36	-/-	HR Side Box	2	US Front	Strand SL 26° 600w	NC
(37)	37	-/-	HR Side Box	1	Steps Front	Strand SL 26° 600w	NC
(39)	39	-/-	HL Side Box	7	DS Cool Front	Strand SL 19° 600w	R60
(40)	40	-/-	HL Side Box	6	DS Warm Front	Strand SL 19° 600w	R09
(41)	41	-/-	HL Side Box	5	DS Front	Strand SL 19° 600w	NC
(42)	42	-/-	HL Side Box	4	US Cool Front	Strand SL 36° 600w	R60
(43)	43	-/-	HL Side Box	3	US Warm Front	Strand SL 26° 600w	R09
(44)	44	-/-	HL Side Box	2	US Front	Strand SL 26° 600w	NC
(45)	45	-/-	HL Side Box	1	Steps Front	Strand SL 19° 600w	NC
(47)	47	-/-	1st Electric	1	SL Warm High Side	Source-4 50° 575w	R34+R132
	49	-/-	1st Electric	3	SLWarm High Side	Source-4 50° 575w	R34+R132
(48)	48	-/-	1st Electric	2	SL Cool High Side	Source-4 50° 575w	R60+R132
	51	-/-	1st Electric	4	SL Cool High Side	Source-4 50° 575w	R60+R132
(52)	52	-/-	1st Electric	5	Gobo Wash	Strand SL 26° 600w	Breakup
(53)	53	-/-	1st Electric	7	Cool Top	Strand Fresnelite 6" 500w	R74
(54)	54	-/-	1st Electric	8	Warm Top	Strand Fresnelite 6" 500w	R16
(55)	55	-/-	1st Electric	9	US Front	Strand Fresnelite 8" 500w	R16
(56)	56	-/-	1st Electric	10	Special	Strand SL 15-32° 600w	-
(57)	57	-/-	1st Electric	11	Cool Top	Strand Fresnelite 6" 500w	R74
(58)	58	-/-	1st Electric	12	Warm Top	Strand Fresnelite 6" 500w	R16
(61)	61	-/-	1st Electric	15	Cool Top	Strand Fresnelite 6" 500w	R74
(62)	62	-/-	1st Electric	16	Special	Strand SL 15-32° 600w	-
(63)	63	-/-	1st Electric	17	Warm Top	Strand Fresnelite 6" 500w	R16
(66)	66	-/-	1st Electric	20	Cool Top	Strand Fresnelite 6" 500w	R74

<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(67)	67	-/-	1st Electric	21	Warm Top	Strand Fresnelite 6" 500w	R16
(68)	68	-/-	1st Electric	22	Special	Strand SL 15-32° 600w	-
(69)	69	-/-	1st Electric	23	US Front	Strand Fresnelite 8" 500w	R16
(70)	70	-/-	1st Electric	24	Cool Top	Strand Fresnelite 6" 500w	R74
(71)	71	-/-	1st Electric	25	Warm Top	Strand Fresnelite 6" 500w	R16
(74)	74	-/-	1st Electric	27	Gobo Wash	Strand SL 26° 600w	Breakup
(75)	75	-/-	1st Electric	28	SR Cool High Side	Source-4 50° 575w	R60+R132
	77	-/-	1st Electric	30	SR Cool High Side	Source-4 50° 575w	R60+R132
(76)	76	-/-	1st Electric	29	SR Warm High Side	Source-4 50° 575w	R34+R132
	78	-/-	1st Electric	31	SR Warm High Side	Source-4 50° 575w	R34+R132
(80)	80	-/-	2nd Electric	1	SL Warm High Side	Source-4 50° 575w	R34+R132
	80	-/-	2nd Electric	3	SL Warm High Side	Source-4 50° 575w	R34+R132
(81)	81	-/-	2nd Electric	2	SL Cool High Side	Source-4 50° 575w	R60+R132
	81	-/-	2nd Electric	4	SL Cool High Side	Source-4 50° 575w	R60+R132
(82)	82	-/-	2nd Electric	6	Cool Top	Strand Fresnelite 6" 500w	R74
(83)	83	-/-	2nd Electric	7	Warm Top	Strand Fresnelite 6" 500w	R16
(84)	84	-/-	2nd Electric	8	Special	Strand SL 15-32° 600w	-
(85)	85	-/-	2nd Electric	9	Cool Top	Strand Fresnelite 6" 500w	R74
(86)	86	-/-	2nd Electric	10	Warm Top	Strand Fresnelite 6" 500w	R16
(87)	87	-/-	2nd Electric	12	Cool Top	Strand Fresnelite 6" 500w	R74
(88)	88	-/-	2nd Electric	13	Special	Strand SL 36° 600w	-
(89)	89	-/-	2nd Electric	15	Warm Top	Strand Fresnelite 6" 500w	R16
(90)	90	-/-	2nd Electric	17	Cool Top	Strand Fresnelite 6" 500w	R74
(91)	91	-/-	2nd Electric	18	Warm Top	Strand Fresnelite 6" 500w	R16

<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(92)	92	-/-	2nd Electric	19	Special	Strand SL 15-32° 600w	-
(93)	93	-/-	2nd Electric	20	Cool Top	Strand Fresnelite 6" 500w	R74
(94)	94	-/-	2nd Electric	21	Warm Top	Strand Fresnelite 6" 500w	R16
(95)	95	-/-	2nd Electric	23	SR Cool High Side	Source-4 50° 575w	R60+R132
	95	-/-	2nd Electric	25	SR Cool High Side	Source-4 50° 575w	R60+R132
(96)	96	-/-	2nd Electric	24	SR Warm High Side	Source-4 50° 575w	R34+R132
	96	-/-	2nd Electric	26	SR Warm High Side	Source-4 50° 575w	R34+R132
(97)	97	-/-	3rd Electric	1	SL Warm High Side	Source-4 36° 575w	R34+R132
	97	-/-	3rd Electric	3	SL Warm High Side	Source-4 36° 575w	R34+R132
(98)	98	-/-	3rd Electric	2	SL Cool High Side	Source-4 50° 575w	R60+R132
	98	-/-	3rd Electric	4	SL Cool High Side	Source-4 26° 575w	R60+R132
(99)	99	-/-	3rd Electric	5	Gobo Wash	Strand SL 26° 600w	Breakup
	99	-/-	3rd Electric	18	Gobo Wash	Strand SL 26° 600w	Breakup
(100)	100	-/-	3rd Electric	6	Cool Top	Strand Fresnelite 6" 500w	R74
(101)	101	-/-	3rd Electric	7	Warm Top	Strand Fresnelite 6" 500w	R16
(102)	102	-/-	3rd Electric	8	Special	Strand SL 15-32° 600w	-
(103)	103	-/-	3rd Electric	9	Cool Top	Strand Fresnelite 6" 500w	R74
(104)	104	-/-	3rd Electric	10	Warm Top	Strand Fresnelite 6" 500w	R16
(105)	105	-/-	3rd Electric	11	Cool Top	Strand Fresnelite 6" 500w	R74
(106)	106	-/-	3rd Electric	12	Warm Top	Strand Fresnelite 6" 500w	R16
(107)	107	-/-	3rd Electric	13	Cool Top	Strand Fresnelite 6" 500w	R74
(108)	108	-/-	3rd Electric	14	Warm Top	Strand Fresnelite 6" 500w	R16
(109)	109	-/-	3rd Electric	15	Special	Strand SL 15-32° 600w	-
(110)	110	-/-	3rd Electric	16	Cool Top	Strand Fresnelite 6" 500w	R74
(111)	111	-/-	3rd Electric	17	Warm Top	Strand Fresnelite 6" 500w	R16

<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Position</u>	<u>U#</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
(113)	113	-/-	3rd Electric	19	SR Cool High Side	Source-4 26° 575w	R60+R132
	113	-/-	3rd Electric	21	SR Cool High Side	Source-4 50° 575w	R60+R132
(114)	114	-/-	3rd Electric	20	SR Warm High Side	Source-4 26° 575w	R34+R132
	114	-/-	3rd Electric	22	SR Warm High Side	Source-4 36° 575w	R34+R132
(115)	115	-/-	4th Electric	1	Work Light	Strand Fresnelite 8" 500w	NC
(142)	142	-/-	4th Electric	11	Work Light	Strand Fresnelite 8" 500w	NC
(201)	2/300	-/-	1st Electric	14	-	Generic Moving Head Spot Small -	-
(202)	2/350	-/-	1st Electric	18	-	Generic Moving Head Spot Small -	-
(301)	2/10	-/-	1st Electric	6	LED Top	ETC Par ETC D60 -	-
(302)	2/25	-/-	1st Electric	13	LED Top	ETC Par ETC D60 -	-
(303)	2/40	-/-	1st Electric	19	LED Top	ETC Par ETC D60 -	-
(304)	2/55	-/-	1st Electric	26	LED Top	ETC Par ETC D60 -	-
(305)	2/70	-/-	2nd Electric	5	LED Top	ETC Par ETC D60 -	-
(306)	2/85	-/-	2nd Electric	11	LED Top	ETC Par ETC D60 -	-
(307)	2/100	-/-	2nd Electric	16	LED Top	ETC Par ETC D60 -	-
(308)	2/115	-/-	2nd Electric	22	LED Top	ETC Par ETC D60 -	-
(309)	2/130	-/-	4th Electric	2	Cyc Fill	ETC Par ETC D60 -	-
(311)	2/160	-/-	2nd Electric	14	LED Center Special	ETC Par ETC D60 -	-
(312)	2/175	-/-	4th Electric	10	Cyc Fill	ETC Par ETC D60 -	-
(401)	2/400	-/-	4th Electric	31	Cyc Strip	LED Strips 3ft -	-
(402)	2/407	-/-	4th Electric	41	Cyc Strip	LED Strips 3ft -	-
(403)	2/414	-/-	4th Electric	51	Cyc Strip	LED Strips 3ft -	-
(404)	2/421	-/-	4th Electric	61	Cyc Strip	LED Strips 3ft -	-
(405)	2/428	-/-	4th Electric	71	Cyc Strip	LED Strips 3ft -	-
(406)	2/435	-/-	4th Electric	81	Cyc Strip	LED Strips 3ft -	-
(407)	2/442	-/-	4th Electric	91	Cyc Strip	LED Strips 3ft -	-

INSTRUMENT SCHEDULE

Center for the Arts at Wesley Chapel

Wesley Chapel, FL

Keith Eisenstadt

CFAWC Rep Plot 6-26-2019

Keith Eisenstadt

keith.eisenstadt@gmail.com

813-494-4179

HL Side Box

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(45)	45	-/-	Steps Front	Strand SL 19° 600w	NC
2	(44)	44	-/-	US Front	Strand SL 26° 600w	NC
3	(43)	43	-/-	US Warm Front	Strand SL 26° 600w	R09
4	(42)	42	-/-	US Cool Front	Strand SL 36° 600w	R60
5	(41)	41	-/-	DS Front	Strand SL 19° 600w	NC
6	(40)	40	-/-	DS Warm Front	Strand SL 19° 600w	R09
7	(39)	39	-/-	DS Cool Front	Strand SL 19° 600w	R60

HR Side Box

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(37)	37	-/-	Steps Front	Strand SL 26° 600w	NC
2	(36)	36	-/-	US Front	Strand SL 26° 600w	NC
3	(35)	35	-/-	US Warm Front	Strand SL 26° 600w	R09
4	(34)	34	-/-	US Cool Front	Strand SL 36° 600w	R60
5	(33)	33	-/-	DS Front	Strand SL 19° 600w	NC
6	(32)	32	-/-	DS Warm Front	Strand SL 19° 600w	R09
7	(31)	31	-/-	DS Cool Front	Strand SL 19° 600w	R60

FOH

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(1)	10	-/-	Apron Front	Strand SL 26° 600w	NC
2	(2)	9	-/-	USR Front	Source-4 26° 575w	NC
3	(3)	8	-/-	FOH Cool	Source-4 26° 575w	R60
4	(4)	7	-/-	FOH Warm	Source-4 26° 575w	R09
5	(5)	6	-/-	FOH Cool	Source-4 26° 575w	R60
6	(6)	5	-/-	FOH Warm	Source-4 26° 575w	R09
7	(7)	4	-/-	Steps Down	Strand Fresnelite 8" 500w	-
8	(8)	3	-/-	FOH Cool	Source-4 26° 575w	R60
9	(9)	2	-/-	FOH Warm	Source-4 26° 575w	R09
10	(10)	1	-/-	FOH Cool	Source-4 26° 575w	R60
11	(11)	20	-/-	FOH Warm	Source-4 26° 575w	R09
12	(12)	19	-/-	USL Front	Strand SL 26° 600w	NC
13	(13)	18	-/-	FOH Cool	Source-4 26° 575w	R60
14	(14)	17	-/-	FOH Warm	Source-4 26° 575w	R09
15	(15)	16	-/-	USC Front	Strand SL 15-32° 600w	NC
16	(16)	15	-/-	FOH Cool	Source-4 26° 575w	R60
17	(17)	14	-/-	FOH Warm	Source-4 26° 575w	R09
18	(18)	13	-/-	USR Front	Strand SL 26° 600w	NC
19	(19)	12	-/-	FOH Cool	Source-4 26° 575w	R60
20	(20)	11	-/-	FOH Warm	Source-4 26° 575w	R09
21	(21)	30	-/-	FOH Cool	Source-4 26° 575w	R60
22	(22)	29	-/-	FOH Warm	Source-4 26° 575w	R09
23	(23)	27	-/-	Steps Down	Strand Fresnelite 8" 500w	-
24	(24)	25	-/-	FOH Cool	Source-4 26° 575w	R60
25	(25)	26	-/-	FOH Warm	Source-4 26° 575w	R09
26	(26)	24	-/-	FOH Cool	Source-4 36° 575w	R60
27	(27)	23	-/-	FOH Warm	Source-4 26° 575w	R09
28	(28)	22	-/-	USL Front	Source-4 26° 575w	NC
29	(29)	21	-/-	Apron Front	Strand SL 26° 600w	NC

1st Electric

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(47)	47	-/-	SL Warm High Side	Source-4 50° 575w	R34+R132
2	(48)	48	-/-	SL Cool High Side	Source-4 50° 575w	R60+R132
3	(47)	49	-/-	SLWarm High Side	Source-4 50° 575w	R34+R132
4	(48)	51	-/-	SL Cool High Side	Source-4 50° 575w	R60+R132
5	(52)	52	-/-	Gobo Wash	Strand SL 26° 600w	Breakup
6	(301)	2/10	-/-	LED Top	ETC Par ETC D60 -	-
7	(53)	53	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
8	(54)	54	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
9	(55)	55	-/-	US Front	Strand Fresnelite 8" 500w	R16
10	(56)	56	-/-	Special	Strand SL 15-32° 600w	-
11	(57)	57	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
12	(58)	58	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
13	(302)	2/25	-/-	LED Top	ETC Par ETC D60 -	-
14	(201)	2/300	-/-	-	Generic Moving Head Spot Small -	-
15	(61)	61	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
16	(62)	62	-/-	Special	Strand SL 15-32° 600w	-
17	(63)	63	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
18	(202)	2/350	-/-	-	Generic Moving Head Spot Small -	-
19	(303)	2/40	-/-	LED Top	ETC Par ETC D60 -	-
20	(66)	66	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
21	(67)	67	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
22	(68)	68	-/-	Special	Strand SL 15-32° 600w	-
23	(69)	69	-/-	US Front	Strand Fresnelite 8" 500w	R16
24	(70)	70	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
25	(71)	71	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
26	(304)	2/55	-/-	LED Top	ETC Par ETC D60 -	-
27	(74)	74	-/-	Gobo Wash	Strand SL 26° 600w	Breakup
28	(75)	75	-/-	SR Cool High Side	Source-4 50° 575w	R60+R132
29	(76)	76	-/-	SR Warm High Side	Source-4 50° 575w	R34+R132
30	(75)	77	-/-	SR Cool High Side	Source-4 50° 575w	R60+R132
31	(76)	78	-/-	SR Warm High Side	Source-4 50° 575w	R34+R132

1st Electric (cont'd)

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
-----------	-------------	------------	------------	----------------	-------------------------	------------------

2nd Electric

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(80)	80	-/-	SL Warm High Side	Source-4 50° 575w	R34+R132
2	(81)	81	-/-	SL Cool High Side	Source-4 50° 575w	R60+R132
3	(80)	80	-/-	SL Warm High Side	Source-4 50° 575w	R34+R132
4	(81)	81	-/-	SL Cool High Side	Source-4 50° 575w	R60+R132
5	(305)	2/70	-/-	LED Top	ETC Par ETC D60 -	-
6	(82)	82	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
7	(83)	83	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
8	(84)	84	-/-	Special	Strand SL 15-32° 600w	-
9	(85)	85	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
10	(86)	86	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
11	(306)	2/85	-/-	LED Top	ETC Par ETC D60 -	-
12	(87)	87	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
13	(88)	88	-/-	Special	Strand SL 36° 600w	-
14	(311)	2/160	-/-	LED Center Special	ETC Par ETC D60 -	-
15	(89)	89	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
16	(307)	2/100	-/-	LED Top	ETC Par ETC D60 -	-
17	(90)	90	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
18	(91)	91	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
19	(92)	92	-/-	Special	Strand SL 15-32° 600w	-
20	(93)	93	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
21	(94)	94	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
22	(308)	2/115	-/-	LED Top	ETC Par ETC D60 -	-
23	(95)	95	-/-	SR Cool High Side	Source-4 50° 575w	R60+R132
24	(96)	96	-/-	SR Warm High Side	Source-4 50° 575w	R34+R132
25	(95)	95	-/-	SR Cool High Side	Source-4 50° 575w	R60+R132
26	(96)	96	-/-	SR Warm High Side	Source-4 50° 575w	R34+R132

3rd Electric

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(97)	97	-/-	SL Warm High Side	Source-4 36° 575w	R34+R132
2	(98)	98	-/-	SL Cool High Side	Source-4 50° 575w	R60+R132
3	(97)	97	-/-	SL Warm High Side	Source-4 36° 575w	R34+R132
4	(98)	98	-/-	SL Cool High Side	Source-4 26° 575w	R60+R132
5	(99)	99	-/-	Gobo Wash	Strand SL 26° 600w	Breakup
6	(100)	100	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
7	(101)	101	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
8	(102)	102	-/-	Special	Strand SL 15-32° 600w	-
9	(103)	103	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
10	(104)	104	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
11	(105)	105	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
12	(106)	106	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
13	(107)	107	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
14	(108)	108	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
15	(109)	109	-/-	Special	Strand SL 15-32° 600w	-
16	(110)	110	-/-	Cool Top	Strand Fresnelite 6" 500w	R74
17	(111)	111	-/-	Warm Top	Strand Fresnelite 6" 500w	R16
18	(99)	99	-/-	Gobo Wash	Strand SL 26° 600w	Breakup
19	(113)	113	-/-	SR Cool High Side	Source-4 26° 575w	R60+R132
20	(114)	114	-/-	SR Warm High Side	Source-4 26° 575w	R34+R132
21	(113)	113	-/-	SR Cool High Side	Source-4 50° 575w	R60+R132
22	(114)	114	-/-	SR Warm High Side	Source-4 36° 575w	R34+R132

4th Electric

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
1	(115)	115	-/-	Work Light	Strand Fresnelite 8" 500w	NC
2	(309)	2/130	-/-	Cyc Fill	ETC Par ETC D60 -	-
10	(312)	2/175	-/-	Cyc Fill	ETC Par ETC D60 -	-
11	(142)	142	-/-	Work Light	Strand Fresnelite 8" 500w	NC
31	(401)	2/400	-/-	Cyc Strip	LED Strips 3ft -	-
41	(402)	2/407	-/-	Cyc Strip	LED Strips 3ft -	-
51	(403)	2/414	-/-	Cyc Strip	LED Strips 3ft -	-
61	(404)	2/421	-/-	Cyc Strip	LED Strips 3ft -	-
71	(405)	2/428	-/-	Cyc Strip	LED Strips 3ft -	-
81	(406)	2/435	-/-	Cyc Strip	LED Strips 3ft -	-
91	(407)	2/442	-/-	Cyc Strip	LED Strips 3ft -	-

-

<u>U#</u>	<u>Chan</u>	<u>Dim</u>	<u>Ckt</u>	<u>Purpose</u>	<u>Inst/Access/Watt</u>	<u>Color/Tmp</u>
-----------	-------------	------------	------------	----------------	-------------------------	------------------

TOTALS

Center for the Arts at Wesley Chapel
Wesley Chapel, FL
Keith Eisenstadt

CFAWC Rep Plot 6-26-2019

Keith Eisenstadt
keith.eisenstadt@gmail.com
813-494-4179

<u>Inst Type</u>	<u>Totals</u>	<u>Frame Size</u>
Source-4 26° 575w	6.25" x 6.25"	24
Source-4 36° 575w	6.25" x 6.25"	4
Source-4 50° 575w	6.25" x 6.25"	18
Strand SL 15-32° 600w	6.25" x 6.25"	8
Strand SL 19° 600w	6.25" x 6.25"	7
Strand SL 26° 600w	6.25" x 6.25"	13
Strand SL 36° 600w	6.25" x 6.25"	3
Strand Fresnelite 6" 500w	7.5" x 7.5"	30
Strand Fresnelite 8" 500w	10" x 10"	6
ETC Par ETC D60	7.5" x 7.5"	11
LED Strips 3ft	N/A	6
LED Strips 3ft	N/A	1
Moving Head Spot Small	N/A	2

<u>Color</u>	<u>Frame Size</u>	<u>Total Cuts</u>	<u>Total Sheets</u>
R09	6.25"	14	2
R132	6.25"	24	3
R16	10"	2	4
R16	7.5"	15	
R34	6.25"	12	2
R60	6.25"	26	3
R74	7.5"	15	3